AUSTRALIAN JOURNAL OF EXPERIMENTAL AGRICULTURE AND ANIMAL HUSBANDRY

CONTENTS VOLUME 23 1983

Number 120 February

Influence of pasture type and supplement on fertility and liveweight of cows, and progeny growth rate in the dry tropics of northern Queensland—R. G. Holroyd, P. K. O'Rourke, M. R. Clarke and I. D. Loxton 4

Utilization of oaten hay by cattle: effects of milling and urea supplementation—N. G. Yates and R. J. Moir 14

Feeding hay supplemented with peas or low protein oats to crossbred lambs born in the spring —R. W. Hodge and B. Bogdanovic 19

Possible contributions of nutritional interactions to copper deficiency in ruminants in South Australia —R. H. Merry, D. J. Reuter, K. G. Tiller and G. J. Young 24

Mineral nutrition of soybeans grown in the South Burnett region of south-eastern Queensland. 1. Effect of phosphorus, potassium, calcium and sulfur on grain yield and plant composition —T. Dickson, G. F. Haydon and J. C. Dwyer 30

Mineral nutrition of soybeans grown in the South Burnett region of south-eastern Queensland. 2. Prediction of grain yield response to phosphorus with soil tests—P. W. Moody, G. F. Haydon and T. Dickson 38

Rhizobium strain evaluation of *Glycine max* cv. Davis, *Vigna mungo* cv. Regur and *V. unguiculata* cv. Caloona for three soils in glasshouse and field experiments—H. V. A. Bushby, R. A. Date and K. L. Butler 43

Plant spacing in French beans 1. Yield—J. W. Daniells and G. L. Wilson 54

A comparison of irrigated maize growth in southern New South Wales on sites with and without a preceding fallow—W. K. Mason, W. S. Meyer, H. D. Barrs and R. C. G. Smith 58

Effect of quantity and frequency of application of superphosphate on the seasonal yield of annual pasture—A. A. McGowan, I. H. Cameron and D. H. White 64

Responses of triticale, wheat, rye and barley to nitrogen fertilizer—Robin D. Graham, P. E. Geytenbeek and B. C. Radcliffe 73

Transformation and recovery of urea applied to a grass pasture in south-eastern Queensland —V. R. Catchpoole, D. J. Oxenham and L. A. Harper 80

Effects of systemic fungicidal seed dressings on the incidence of *Phytophthora megasperma*, nodulation and nitrogen fixation in two soybean cultivars—A. Diatloff, J. A. G. Irwin and J. L. Rose 87

Effect of fungicides on infection of apricot and cherry pruning wounds inoculated with *Chondrostereum purpureum*—T. J. Wicks, D. Volle and T. C. Lee 91

Benomyl residues in litchis after post-harvest dipping—P. A. Hargreaves 95

Effects of granular nematicides on Valencia orange trees infested with *Tylenchulus semipenetrans* —A. R. Harris 99

Control of *Amsinckia hispida* and *Juncus bufonius* (toadrush) with herbicides—J. E. Pratley 103

Yield and evaluation of F1 tomato hybrids incorporating the non-ripening *nor* gene —W. B. McGlasson, J. B. Sumeghy, L. L. Morris, R. L. McBride, D. J. Best and E. C. Tigchelaar 106

Number 121 May

The effects of levamisole treatments and cobalt bullet therapy on the performance of yearling beef cattle in south-east Queensland—D. C. Nicol, L. D. Smith, C. K. Dimmock, P. E. Green, G. M. Murphy and G. A. Barry 116
Pasture, sheep and timber production from agro-forestry systems with subterranean clover sown under 15-year-old *Pinus radiata* by a method simulating aerial seeding—G. W. Anderson and F. E. Battini 123
Irrigated pasture productivity and its variability in the Shepparton Region of northern Victoria —C. R. Stockdale 131
The winter production of some strains of subterranean clover grown in defoliated swards —W. J. Collins, R. C. Rossiter and E. C. Wolfe 140
Influence of grazing and herbicide before sowing on establishment and survival of surface-sown pasture species on the Northern Tablelands of New South Wales—P. M. Dowling and A. R. Gilmour 146
Herbage, grain and animal production from winter-grazed cereal crops—P. R. Dann, A. Axelsen, B. S. Dear, E. R. Williams and C. B. H. Edwards 154
Lablab bean (*Lablab purpureus*) for grain and forage production in the Ord Irrigation Area —I. M. Wood 162
Response of rapeseed (*Brassica napus*) to phosphorus, boron and lime on an acid soil near Canberra —L. F. Myers, J. Lipsett and R. Kirchner 172
Effects of sowing date, spatial arrangement and population on yield and kernel weight of irrigated Virginia Bunch peanuts—R. C. N. Laurence 178
Change in soil pH, manganese and aluminium under subterranean clover pasture—S. M. Bromfield, R. W. Cumming, D. J. David and C. H. Williams 181
The assessment of available manganese and aluminium status in acid soils under subterranean clover pastures of various ages—S. M. Bromfield, R. W. Cumming, D. J. David and C. H. Williams 192
Fertilizer strip tests for the identification of superphosphate responsive pastures—B. S. Dear and A. N. Smith 201
Evaluation of gypsum and organic matter additions for improving soil structure in a radiata pine nursery at Benalla, Victoria—D. W. Flinn and R. J. Waugh 208
Fruit development of Carina (Shiraz × Sultana) in response to growth regulators applied at calyptra dehiscence—R. M. Cirami, A. P. Chapman and M. G. McCarthy 216
Distribution of parasitic nematodes in vineyards in central and north-eastern Victoria—A. R. Harris 221

Number 122 August

Ease of calving, growth and carcass characteristics of crossbred calves in the lower South East of South Australia—M. P. B. Deland, R. W. Ponzoni and R. W. McNeil 228
Effect of method of sale and various water regimens at saleyards on the liveweight, carcass traits and muscle properties of cattle—J. R. Wythes, M. J. Brown, W. R. Shorthose and M. R. Clarke 235
Effects of copper therapy on steers in the brigalow region of central Queensland—A. W. Plasto, T. P. Kennedy, M. S. O'Bryan and G. S. Wright 243
Seasonal changes in plasma testosterone concentration and mating activity in Border Leicester, Poll Dorset, Romney and Suffolk rams—M. J. D'Occhio and D. E. Brooks 248
Seasonal changes in the plasma testosterone profile in Merino rams—M. J. D'Occhio and D. E. Brooks 254
Supplementing Merino ewes at mating for reproductive gain in central western New South Wales —G. D. Denney 259

Productivity of lactating Merino and crossbred ewes given oats supplemented with urea or lucerne chaff—R. W. Hodge, B. Bogdanovic and C. Kat 266
Survival, growth and wool production of South Australian strong-wool Merino and first-cross Merino lambs from birth to 16 months of age—D. O. Kleemann, M. L. H. South, C. H. S. Dolling and R. W. Ponzoni 271
Prediction of response to sulfur by established Siratro/grass pastures in south-eastern Queensland —G. E. Rayment 280
Resistance of lucerne lines at different stages of plant growth to spotted alfalfa aphid and blue-green aphid—D. L. Lloyd, B. A. Franzmann and T. B. Hilder 288
Comparison of yield, nitrogen and phosphorus content, and rust infection (*Puccinia coronata*) of irrigated ryegrass swards in south-eastern Queensland—K. F. Lowe, T. M. Bowdler, H. Ostrowski and S. L. Stillman 294
Extension of crop sowing time during dry weather by means of stubble mulching and water injection —B. J. Radford and R. G. H. Nielsen 302
Effect of seed hydration–dehydration pre-treatment on germination of soybean lines at sub-optimal temperatures—M. P. Bharati, R. J. Lawn and D. E. Byth 309
Antagonists of the cereal cyst nematode *Heterodera avenae* Woll. in Australian soils—C. R. Stirling and B. R. Kerry 318
Evaluation of fresh market tomatoes of the determinate type irrigated by trickle and grown on raised beds covered with polyethylene mulch—J. B. Sumeghy, D. O. Huett, W. B. McGlasson, E. E. Kavanagh and V. Q. Nguyen 325
Reducing post-harvest disease in Fuerte avocados by temperature management—R. D. Fitzell and I. F. Muirhead 331

Number 123 November

Effect of superphosphate application on the phosphorus status of breeding cattle grazing Townsville stylo based pastures in northern Queensland—I. D. Loxton, G. M. Murphy and M. A. Toleman 340
Tick infestations and their effects on growth of *Bos indicus* × *Bos taurus* cattle in the wet tropics —W. Mellor, P. K. O'Rourke and K. S. Waters 348
The composition, fat distribution and yield of carcass beef from steers and heifers when entire, spayed, pregnant or fitted with an intravaginal device—G. R. Saul 354
Problems in the accurate recording of lambing data—G. Alexander, D. Stevens and B. Mottershead 361
Evaluation of an intraruminal device to provide an iodine supplement for sheep—Keith J. Ellis, J. M. George and R. H. Laby 369
Supplements for Merino weaner sheep grazing mature pastures in summer and autumn —Janet Z. Foot, J. S. McIntyre and P. G. Heazlewood 374
Productivity of grazed Makarikari grass-lucerne, Rhodes grass-lucerne and lucerne pastures in the northern wheat belt of Australia—D. L. Lloyd, J. G. Nation, T. B. Hilder and P. K. O'Rourke 383
Field tests for evaluating spotted alfalfa aphid resistance in lucerne cultivars: a comparison with glasshouse studies—G. M. Lodge and L. R. Greenup 393
Effect of soil properties on the yield and persistence of Mediterranean perennial grasses in southern Western Australia—E. F. Biddiscombe, A. L. Rogers, G. W. Anderson and E. S. DeBoer 399
The contribution of a temporary watertable to surface soil water content and the establishment of surface sown seeds—P. S. Cornish 407
Reclamation of salt-affected soils in the Goulburn Valley of Victoria—A. H. Mehanni and G. E. Bleasdale 412
Nutritional evaluation of triticale grain as an animal feed—B. C. Radcliffe, A. R. Egan and C. J. Driscoll 419

The use of desiccant, defoliant and growth regulating sprays to advance the harvest of edible dry beans (*Phaseolus vulgaris*) in Tasmania—J. J. Forbes and J. E. Pratley 426
Biological control of *Eutypa armeniacae*. 5. Guidelines for establishing routine wound protection in commercial apricot orchards—M. V. Carter 429
Effects of planting distances on production by Washington Navel orange—P. T. Gallasch 437
Annual contents and Author index 441